



COMMERCIAL QUOTE FORM

Quote ID

Date:
By Daisy Contact:
Email/Phone:

FROM Name:
Email:
Phone:

Pool Name:
Address:
Site Contact:
Mobile:
Email:

A. Checklist

Indicate

1. Pool Classification-	School		
	Council		
	Commercial		
2. Location-	Indoor		
	Outdoor		
3. Is the pool heated?	Yes	No	
4. Waterline Measurement-	Width A	m	
	Length B	m	
5. Does the pool have-	Raised coping	Yes	No
	Wet Deck	Yes	No

B. Pool Covers

Solar Cover 525B

ThermoTech Foam Colour

Number of covers

Wind Skirting

Roller Style

Number of rollers

Motorised

Out Rigger

Installation

For cover replacement please indicate roller cord placement on page 3

C. Site Access and Delivery Logistics

Delivery contact name:

Phone:

Address:

Receiver contact details:

Special instructions:

Unloading requirements:

Staff on site to unload: Multiple personnel, manual unload

Forklift available onsite: TTB Foam covers rolled onto roller tube affixed to pallets Hiab, crane truck needed: If forklift is unavailable (extra charges will apply)

Tail Lift needed: Pool covers folded and rolled onto a pallet and able to be unloaded with the use of a pallet jack (extra charges may apply).

Yes No Access from unloading area to pool side ok (note lengths)?

Special instructions from unloading area to pool side:

6. Will cover be hauled over starting blocks?	Yes	No
<i>If yes, quote accurate dimensions of starting blocks on next page.</i>		
<i>Note: cover recovery is easier from the non starting block end</i>		
7. Are there Ladders or projections along the sides or ends of the pool?	Yes	No
Do they intrude into the water?	Yes	No
Would they hinder Operations?	Yes	No
- Indicate on plan drawing on next page		
8. Indicate Diving Board/Boards if any		
Will they hinder roller operations?	Yes	No

9. What height above waterline are Lane Rope Anchor points?
Please indicate on plan point locations and progressive measurement across the pool

Special Notes:

Photos Supplied

Inspection Required

Separate Plans & Elevations Supplied

Special Instructions

Daisy Install?

Site Contact:

Access address:

Special tools or equipment needed:

Number of personnel required:

Take photos of pools from all directions to show roller location for use and storage and any areas of pool to consider.

Customer special requests (size/use/storage/location/ problem to solve)

Daisy advice given (that was different to request):



COMMERCIAL POOL PLAN

Quote ID

Pool Name: _____

A = _____


B = _____

INDOOR OUTDOOR POOL


FOAM / SOLAR (please check)

WIND SKIRTING

Draw a complete plan of the pool including measurements:




- Size of pool
- Pool cover layout
 - » Number each cover
 - » Size each cover
- Roller position
- Existing rollers
- Starting blocks (and if at roller end)
- Ground surface around pool (and rollers' storage location)
- Ladder rail protruding into pool
- Chair lifts
- Ramp rails
- Support rails
- Diving boards
- Step entry support rail
- Anything in or around pool that may hinder or obstruct operation
- Pool notes:



ROLLERS

- Manual
- Power
- Manual with PowerWinch

Please fill in starting block and copy dimensions if any.



AUSTRALIA'S FAVOURITE.

Highest quality | Best technology | Excellent service

1300 55 18 11 daisypoolcovers.com.au





POOL COVER DETAIL

Quote ID

Individual Pool Cover Detail

FOAM COVER

SOLAR COVER

SECURITY STRAP


OVER COVER (Solar Standard)

Attached
Seperate
Not Required

Attached
Seperate
Not Required

A =


B =



Trifold float bar (foam only)
Multi-point harness



Single point haul cord





Float pocket & rod with
multi-point harness
(Standard Solar)

Individual Pool Cover Detail, for
multiple cover specifications copy page



Ladder rail cut out




EDGE BINDING


- Standard Binding
- Black
- Blue PVC
- Windskirting Combination
- (show on plan)

EXTRAS


- Haul Cord(s) – standard up to two supplied at cover length
- Roller Hardware
- Other parts required



Piggyback single-point
harness




Piggyback quick
release




Piggyback multi-point


SOLAR: Reinforced bound roller connection end
FOAM: Trifold stiffening bar



- Roller connection cords (typical)
- 3 metres
 - Custom length (metres)



Custom roller attachment points (eg. for existing roller)
Parts required _____





POOL ROLLER DETAIL

Quote ID

- TUBE 125 500mm hand wheels
 152 700mm hand wheels
 203 900mm hand wheels

Cover No.

ROLLER TUBE LENGTH m

COVER WIDTH m

Rollers are standard with one round and one square drive end slug

End Slug Standard

Square Drive

Mobile Roller

Wall Mount Roller

Caddy Fixed

Other

Ground surface around pool and roller storage location notes:

HAND WHEELS 500mm 700mm 900mm

Hand wheel adaptor

CASTORS 100mm (standard) 125mm (option) Other

Stabilizer Bar – Size btwn existing roller frame _____ m Not needed for new rollers

Outrigger (Fill in starting block measurements on page 2)

CADDY PRO




CADDY UBR



CADDY FIXED

- 1505 UBR
- 1460 Wall/Floor
- 1515 Post




UNDER BENCH ROLLER

Drive Side: Left Right Manual

Seat Height: 505mm Maximum Length 16m
 595mm Maximum Length 25m Other

ROLLER CONNECTION:



Special Requests:

Save form and email to commercial@daisypoolcovers.com.au along with photos of any special instructions and pool area.

AUSTRALIA'S FAVOURITE.

Highest quality | Best technology | Excellent service

1300 55 18 11 daisypoolcovers.com.au

