

26-27

Yearbook

Recommended Retail Pricing (inc. GST) Effective 1 September 2026



CONTENTS

Standard Sizes & Colours	4
Enclosure Types	5
Free Standing	6
Backless	7
Deep Backless	8
Measurements, Slab Allowance & Lid Clearance	9
Pump Box & Acid Feeder Box	10
Price Lists	11-13
Accessories & Optional Extras	14
Delivery & Returns	15

Know the Facts. Stay Compliant.

At The Acoustic Box, we pride ourselves on being independently tested and certified to meet stringent pool pump noise regulations across Australia.

The Acoustic Box will reduce pool pump and equipment sound by up to 80%. Across Australia, State and Council laws restrict how much noise your pool pump can make – e specially at night. If the neighbours can hear the pump, it could be non compliant!

Explore our most-requested resources:



Know the Rules



See the Proof



Share with Customers

To get started, visit: theacousticbox.com.au/information/regulations-and-reports



**Reduce Noise
By 80%**



**Assemble in
as little as
15 minutes**



**Offer more
internal space
for easier access**



**Save money on
design, equipment
and running costs.**



**Child Safety
Features**




**100% Australian
Made**

Features at a glance

The Acoustic Box delivers a quieter and clutter-free poolside environment. Our pool pump enclosures are proven to reduce the noise of your pool equipment by up to 80%.

Other key features include





Over 300 sizes available and ready to customise.

- Choose Free Standing, Backless or Deep Backless dependant on your install location.

Freestanding model needs 50mm clearance behind for lid to open. Less than 50mm requires Backless model.

- Choose your required Height, Width and Depth.
- Choose your colour from 10 Colorbond options or a custom colour with no additional lead time.



Choose your Height

- 900mm
- 1145mm
- 1345mm
- 1845mm

Choose your Width

- 660mm
- 900mm
- 1100mm
- 1350mm
- 1650mm

Choose your Depth

- 660mm
- 900mm
- 1100mm
- 1350mm

Add 50mm/150mm for Backless/Deep Backless

Extended widths achieved by modular combinations, allow +28mm per joiner
e.g. 2028mm wide = 1100mm module + 900mm module + 28mm joiner



All units are built using single or multiple compartments using the standard sizes. The internal measurements on a free standing box (to accommodate the panel bends and the acoustic foam) are approximately 50mm less (25mm per wall) than the external measurements. This means you can accurately gauge the space needed for your equipment based on the external dimensions provided.

Standard Colours

Monument

Woodland
Grey

Surfmist

Pale
Eucalypt

Night Sky
Black

Classic
Cream

Dune

Stone
Grey

Ironstone

Cottage
Green

Pool Pump Enclosure Type



Free Standing Enclosure

- ✓ Fully enclosed with equipment mounting provision
- ✓ Assemble in just 15 minutes
- ✓ Full protection from elements
- ✓ Enhanced safety for you and your loved ones
- ✓ Full sound insulation



Backless Enclosure

- ✓ Fits against a wall where pool equipment is mounted
- ✓ Optimal for tight spaces
- ✓ Assemble in just 15 minutes
- ✓ No rear panel providing 50mm or 150mm additional depth
- ✓ Allows space for pipes and electrical equipment to be positioned behind the enclosure

The Difference between Free Standing and Backless Enclosures

Understanding the differences between our free standing and backless pool pump & filter enclosures is crucial for selecting the right Acoustic Box for your setup.

Free Standing

- **Rear Panel:** A free standing pool pump & filter enclosure includes a rear panel with wooden insert to mount equipment, providing a fully enclosed structure on all sides.
- **Best suited for situations where there is ample space behind the equipment and something to mount, ensuring full protection and sound insulation.**

Backless

- **Backless pool pump & filter enclosures** utilise two wall strips to connect the pool pump and filter enclosure to the wall, with a horizontal bridge attached to the top of the wall strips to ensure the system is fully enclosed. These wall strips are to be attached to the wall, with three locations available along the height.
- **Additional Depth Note:** Backless pool pump & filter enclosures add 50mm to the depth of the Free Standing model.
- **Optimal for Tight Spaces:** Designed for scenarios where the equipment is located within 50mm of a wall. The absence of a rear panel allows the box to fit against the wall, providing flexibility for equipment, pipes, and electrical connections to be positioned on the wall inside the pool pump and filter enclosure.



Free Standing Pool Pump Enclosure


A free standing pool pump & filter enclosure includes a rear panel with wooden insert to mount equipment, providing a fully enclosed structure on all sides.

Best suited for installations where there is ample space around the equipment and gives a place to mount the electrics, ensuring full protection and sound insulation.

If your control equipment is mounted to a wall or the enclosure needs to be mounted within 50mm of the back, consider a backless model to allow room for the lid to open to the rear.

Measurements

To ensure a perfect fit and easy installation, please note that the measurements provided for each pool pump & filter enclosure are external measurements.



Free Standing Enclosures

Lid opening needs 50mm clearance behind box to open. Less than 50mm requires Backless model.

Choose your Height

- ▶ 900mm
- ▶ 1145mm
- ▶ 1345mm
- ▶ 1845mm

Choose your Width

- ▶ 660mm
- ▶ 900mm
- ▶ 1100mm
- ▶ 1350mm
- ▶ 1650mm

Extended widths achieved by modular combinations,
allow +28mm per joiner
e.g. 2028mm wide = 1100mm module + 900mm module + 28mm joiner




Backless Pool Pump Enclosure

The Backless model removes the rear panel and includes 50mm wall strips to mount the enclosure to the wall, providing enough clearance for the lid to open.

Features:

- **2 vertical wall strips** with **3 mounting positions**
- **1 horizontal bridge** across the top for full enclosure
- **+50mm depth** compared to the Free Standing model

Ideal for tight spaces where the enclosure needs to be installed within 50mm of a wall. The open rear design allows for flexible placement of pipes, conduits, and electrical fittings directly on the rear wall within the enclosure.



Choose your Depth

- ▶ 710mm
- ▶ 950mm
- ▶ 1150mm
- ▶ 1400mm

Standard panel plus 50mm for Backless wall strip

Backless Enclosures

50mm wall strip mounts to wall for lid clearance.


Choose your Height

- ▶ 900mm
- ▶ 1145mm
- ▶ 1345mm
- ▶ 1845mm

Choose your Width

- ▶ 660mm
- ▶ 900mm
- ▶ 1100mm
- ▶ 1350mm
- ▶ 1650mm

Extended widths achieved by modular combinations, allow +28mm per joiner
e.g. 2028mm wide = 1100mm module + 900mm module + 28mm jc




Deep Backless Pool Pump Enclosure

The **Deep Backless** enclosure adds 150mm to the depth of the Free Standing model, providing extra space behind the unit for vertical clearance and lid opening. Unlike the standard Backless model (which gives 50mm rear clearance for lid opening), the Deep Backless uses 150mm wall strips to mount the enclosure to the wall. This creates enough space for the lid to open fully, even when obstructions like conduits, water pipes, or downpipes are present.

The additional 100mm clearance (over the standard 50mm) allows you to cut the wall strips to fit around vertical objects, while still maintaining the necessary 50mm for lid clearance.



Wall strip has been cut to fit the down pipe and other conduits.



Choose your Depth

- ▶ 810mm
- ▶ 1050mm
- ▶ 1250mm
- ▶ 1500mm

Standard panel plus 150mm for Deep Backless wall strip

Deep Backless Enclosures

150mm wall strip mounts to wall for lid clearance.
50mm + 100mm clearance for obstructions.

Choose your Height

- ▶ 900mm
- ▶ 1145mm
- ▶ 1345mm
- ▶ 1845mm


Choose your Width

- ▶ 660mm
- ▶ 900mm
- ▶ 1100mm
- ▶ 1350mm
- ▶ 1650mm

Extended widths achieved by modular combinations,
allow +28mm per joiner
e.g. 2028mm wide = 1100mm module + 900mm module + 28mm joiner

Internal and External Measurements:

The internal measurements on a free standing box (to accommodate the panel bends and the acoustic foam) are approximately 50mm less (25mm per wall) than the external measurements. This means you can accurately gauge the space needed for your equipment based on the external dimensions provided.




Concrete Slab Allowance:

If you are placing your Acoustic Box on a concrete slab, it is advisable to allow for an additional 10-20mm on all sides of the slab. This extra space ensures that the box fits comfortably, gives you space to anchor the box down and accounts for any irregularities in the slab dimensions.

Lid Clearance:


The lid of the Standard Acoustic Box requires 50mm of clearance behind the box to fully open. When placing the box against a wall or other hard surfaces, please ensure this clearance is available to avoid any obstruction when accessing your equipment. If there is not a minimum of 50mm consider a Backless or Deep Backless option.



Pool Pump Box

All models:
Standard Depth 330mm
Standard Height 380mm

Three widths to choose from.



Pump Box

The Acoustic Pool Pump Box – specifically designed for enclosing standard Pool Pumps. Its versatile design means that it will fit 99% of pumps on the Australian market. It has two sliding plates on top, which can be re-positioned to cater for just about any layout. It is made of Australian galvanised steel, powder coated and acoustically lined. The Acoustic Pool Pump Box assembles in less than 5 minutes with a few simple screws. It comes certified by an acoustic engineer with 70% + noise reduction.

The Pump Box is 100% Australian made to withstand the harsh Australian environment & comes with a 7-year warranty for peace of mind.

All Pump Boxes have a standard Depth of 330mm and Height of 380mm.

Acid Feeder Box

Ensure the safety and longevity of your pool equipment with **The Acoustic Box™ Acid Feeder Box**. Designed to securely enclose your acid drum, this lockable box protects your valuable equipment, children, and pets from potential hazards.



Acid Feeder Box Closed



Acid Feeder Box Open

Standard Models

Over 300 Sizes Available

All Enclosures come in Free Standing or two types of 'BACKLESS' configurations to mount to the wall.

Free Standing enclosure includes a rear panel with wooden insert to mount equipment, providing a fully enclosed structure.

Backless enclosures utilise two wall strips to connect the enclosure to the wall, with a horizontal bridge attached to the top of the wall strips to ensure the system is fully enclosed.

These wall strips are to be attached to the wall. 'Backless' or 'Deep Backless' models add 50mm or 150mm to the depth at no additional cost. Custom sizes are available, contact us for cost and lead time.

Compartment	Model	Width External (Internal) (mm)	Depth External (Internal) (mm)	Height External (Internal) (mm)	Retail Price (Inc GST)
Single 900 Wide	090609	900 (850)	660 (610)	900 (855)	\$2,168~
	090611	900 (850)	660 (610)	1145 (1100)	\$2,168~
	090909	900 (850)	900 (850)	900 (855)	\$2,168~
	090911	900 (850)	900 (850)	1145 (1100)	\$2,168~
	090913	900 (850)	900 (850)	1345 (1300)	\$2,402~
	091111	900 (850)	1100 (1050)	1145 (1100)	\$2,168~
	091113	900 (850)	1100 (1050)	1345 (1300)	\$2,402~
	091311	900 (850)	1350 (1300)	1145 (1100)	\$2,402~
Single 1100 Wide	110609	1100 (1050)	660 (610)	900 (855)	\$2,168~
	110611	1100 (1050)	660 (610)	1145 (1100)	\$2,168~
	110613	1100 (1050)	660 (610)	1345 (1300)	\$2,402~
	110909	1100 (1050)	900 (850)	900 (855)	\$2,168~
	110911	1100 (1050)	900 (850)	1145 (1100)	\$2,168~
	110913	1100 (1050)	900 (850)	1345 (1300)	\$2,402~
	110918	1100 (1050)	900 (850)	1845 (1800)	\$3,399~
	111109	1100 (1050)	1100 (1050)	900 (855)	\$2,168~
	111111	1100 (1050)	1100 (1050)	1145 (1100)	\$2,168~
	111113	1100 (1050)	1100 (1050)	1345 (1300)	\$2,402~
	111118	1100 (1050)	1100 (1050)	1845 (1800)	\$3,399~
	111309	1100 (1050)	1350 (1300)	900 (855)	\$2,402~
	111311	1100 (1050)	1350 (1300)	1145 (1100)	\$2,402~
	111313	1100 (1050)	1350 (1300)	1345 (1300)	\$2,754~
Single 1350 Wide	130609	1350 (1300)	660 (610)	900 (855)	\$2,402~
	130611	1350 (1300)	660 (610)	1145 (1100)	\$2,402~
	130613	1350 (1300)	660 (610)	1345 (1300)	\$2,754~
	130909	1350 (1300)	900 (850)	900 (855)	\$2,402~
	130911	1350 (1300)	900 (850)	1145 (1100)	\$2,402~
	130913	1350 (1300)	900 (850)	1345 (1300)	\$2,754~
	130918	1350 (1300)	900 (850)	1845 (1800)	\$3,809~
	131109	1350 (1300)	1100 (1050)	900 (855)	\$2,402~
	131111	1350 (1300)	1100 (1050)	1145 (1100)	\$2,402~
	131113	1350 (1300)	1100 (1050)	1345 (1300)	\$2,754~
	131118	1350 (1300)	1100 (1050)	1845 (1800)	\$3,809~
	131309	1350 (1300)	1350 (1300)	900 (855)	\$2,754~
	131311	1350 (1300)	1350 (1300)	1145 (1100)	\$2,754~
	131313	1350 (1300)	1350 (1300)	1345 (1300)	\$2,989~

Compartment	Model	Width External (Internal) (mm)	Depth External (Internal) (mm)	Height External (Internal) (mm)	Retail Price (Inc GST)
Single 1650 Wide	160609	1650 (1600)	660 (610)	900 (855)	\$2,520~
	160611	1650 (1600)	660 (610)	1145 (1100)	\$2,520~
	160613	1650 (1600)	660 (610)	1345 (1300)	\$2,871~
	160909	1650 (1600)	900 (850)	900 (855)	\$2,520~
	160911	1650 (1600)	900 (850)	1145 (1100)	\$2,520~
	160913	1650 (1600)	900 (850)	1345 (1300)	\$2,871~
	160918	1650 (1600)	900 (850)	1845 (1800)	\$3,809~
	161109	1650 (1600)	1100 (1050)	900 (855)	\$2,520~
	161111	1650 (1600)	1100 (1050)	1145 (1100)	\$2,520~
	161113	1650 (1600)	1100 (1050)	1345 (1300)	\$2,871~
	161118	1650 (1600)	1100 (1050)	1845 (1800)	\$3,809~
	161309	1650 (1600)	1350 (1300)	900 (855)	\$2,989~
	161311	1650 (1600)	1350 (1300)	1145 (1100)	\$2,989~
	161313	1650 (1600)	1350 (1300)	1345 (1300)	\$3,223~
	161609	1650 (1600)	1650 (1600)	900 (855)	\$3,223~
	161611	1650 (1600)	1650 (1600)	1145 (1100)	\$3,223~
	161613	1650 (1600)	1650 (1600)	1345 (1300)	\$3,458~
Two Compartments, 2 x 900 Wide	180609	1828 (1778)	660 (610)	900 (855)	\$3,223~
	180611	1828 (1778)	660 (610)	1145 (1100)	\$3,223~
	180613	1828 (1778)	660 (610)	1345 (1300)	\$3,692~
	180909	1828 (1778)	900 (850)	900 (855)	\$3,223~
	180911	1828 (1778)	900 (850)	1145 (1100)	\$3,223~
	180913	1828 (1778)	900 (850)	1345 (1300)	\$3,692~
	181109	1828 (1778)	1100 (1050)	900 (855)	\$3,223~
	181111	1828 (1778)	1100 (1050)	1145 (1100)	\$3,223~
	181113	1828 (1778)	1100 (1050)	1345 (1300)	\$3,692~
	181309	1828 (1778)	1350 (1300)	900 (855)	\$3,692~
	181311	1828 (1778)	1350 (1300)	1145 (1100)	\$3,692~
	181313	1828 (1778)	1350 (1300)	1345 (1300)	\$4,044~
Two Compartments, 900 + 1100 Wide	200609	2028 (1978)	660 (610)	900 (855)	\$3,223~
	200611	2028 (1978)	660 (610)	1145 (1100)	\$3,223~
	200613	2028 (1978)	660 (610)	1345 (1300)	\$3,692~
	200909	2028 (1978)	900 (850)	900 (855)	\$3,223~
	200911	2028 (1978)	900 (850)	1145 (1100)	\$3,223~
	200913	2028 (1978)	900 (850)	1345 (1300)	\$3,692~
	201109	2028 (1978)	1100 (1050)	900 (855)	\$3,223~
	201111	2028 (1978)	1100 (1050)	1145 (1100)	\$3,223~
	201113	2028 (1978)	1100 (1050)	1345 (1300)	\$3,692~
	201309	2028 (1978)	1350 (1300)	900 (855)	\$3,692~
	201311	2028 (1978)	1350 (1300)	1145 (1100)	\$3,692~
	201313	2028 (1978)	1350 (1300)	1345 (1300)	\$4,044~

Compartment	Model	Width External (Internal) (mm)	Depth External (Internal) (mm)	Height External (Internal) (mm)	Retail Price (Inc GST)
Two Compartments, 2 x 1100 Wide	220609	2228 (2178)	660 (610)	900 (855)	\$3,223~
	220611	2228 (2178)	660 (610)	1145 (1100)	\$3,223~
	220613	2228 (2178)	660 (610)	1345 (1300)	\$3,692~
	220909	2228 (2178)	900 (850)	900 (855)	\$3,223~
	220911	2228 (2178)	900 (850)	1145 (1100)	\$3,223~
	220913	2228 (2178)	900 (850)	1345 (1300)	\$3,692~
	220918	2228 (2178)	900 (850)	1845 (1800)	\$4,279~
	221109	2228 (2178)	1100 (1050)	900 (855)	\$3,223~
	221111	2228 (2178)	1100 (1050)	1145 (1100)	\$3,223~
	221113	2228 (2178)	1100 (1050)	1345 (1300)	\$3,692~
	221118	2228 (2178)	1100 (1050)	1845 (1800)	\$4,279~
	221309	2228 (2178)	1350 (1300)	900 (855)	\$3,692~
	221311	2228 (2178)	1350 (1300)	1145 (1100)	\$3,692~
	221313	2228 (2178)	1350 (1300)	1345 (1300)	\$4,044~
Two Compartments, 1100 + 1350 Wide	240609	2478 (2428)	660 (610)	900 (855)	\$3,809~
	240611	2478 (2428)	660 (610)	1145 (1100)	\$3,809~
	240613	2478 (2428)	660 (610)	1345 (1300)	\$4,161~
	240909	2478 (2428)	900 (850)	900 (855)	\$3,809~
	240911	2478 (2428)	900 (850)	1145 (1100)	\$3,809~
	240913	2478 (2428)	900 (850)	1345 (1300)	\$4,161~
	241109	2478 (2428)	1100 (1050)	900 (855)	\$3,809~
	241111	2478 (2428)	1100 (1050)	1145 (1100)	\$3,809~
	241113	2478 (2428)	1100 (1050)	1345 (1300)	\$4,161~
	241309	2478 (2428)	1350 (1300)	900 (855)	\$4,161~
	241311	2478 (2428)	1350 (1300)	1145 (1100)	\$4,161~
	241313	2478 (2428)	1350 (1300)	1345 (1300)	\$4,513~
Two Compartments, 2 x 1350 Wide	270609	2728 (2678)	660 (610)	900 (855)	\$3,809~
	270611	2728 (2678)	660 (610)	1145 (1100)	\$3,809~
	270613	2728 (2678)	660 (610)	1345 (1300)	\$4,161~
	270909	2728 (2678)	900 (850)	900 (855)	\$3,809~
	270911	2728 (2678)	900 (850)	1145 (1100)	\$3,809~
	270913	2728 (2678)	900 (850)	1345 (1300)	\$4,161~
	270918	2728 (2678)	900 (850)	1845 (1800)	\$5,099~
	271109	2728 (2678)	1100 (1050)	900 (855)	\$3,809~
	271111	2728 (2678)	1100 (1050)	1145 (1100)	\$3,809~
	271113	2728 (2678)	1100 (1050)	1345 (1300)	\$4,161~
	271118	2728 (2678)	1100 (1050)	1845 (1800)	\$5,099~
	271309	2728 (2678)	1350 (1300)	900 (855)	\$4,161~
	271311	2728 (2678)	1350 (1300)	1145 (1100)	\$4,161~
	271313	2728 (2678)	1350 (1300)	1345 (1300)	\$4,513~
	271318	2728 (2678)	1350 (1300)	1845 (1800)	\$5,451~
Pump Box	Pump Box – Short	680 (640)	330 (275)	380 (360)	\$996~
	Pump Box – Standard	850 (810)	330 (275)	380 (360)	\$996~
	Pump Box – Long	1020 (980)	330 (275)	380 (360)	\$996~

Accessories



CUSTOM COLOUR



EXTRA MOUNTING TIMBER



FLUE KIT



GRILLED DOOR



GRILLED PANEL



H3 TIMBER FOOTINGS



LEVELLING FEET



LOUVERED DOOR



SIDE ACCESS PANEL

Optional Extras

Installation (Syd, Mel, Bris, Gold Coast)	Regular installation – carried out by a qualified Pool Tech and includes core drilling panels to allow for pipes in / out of enclosure	From: \$445*
Site inspection (Syd, Mel, Bris, Gold Coast)	Site visit to confirm measurements & suitable size	From: \$90* - \$170*
Footings	H3 treated timber, cut to the size of the enclosure (45mm D and 90mm H)	\$194 ~
Side access (<1400mm H)	Additional access on either side (<i>no gas strut on side-access side</i>)	\$350 ~
Side access (>1400mm H)	Additional access on either side (<i>no gas strut on side-access side</i>)	\$465 ~
Louvered door	Louvered door (in lieu of standard door) for additional ventilation	\$233 ~
Grilled panel	A panel with a grill for additional ventilation (<i>required when covering heaters / other types of compressors</i>)	\$233 ~
Grilled door	A door with a grill for additional ventilation (<i>required when covering heaters / other types of compressors</i>)	\$198 ~
Flue Kit	For enclosing gas heaters	\$464 ~
Levelling feet	Adjustable feet to increase box height by up to 30mm (8 pieces)	\$57 ~
Extra Timber	Additional dressed timber board on side panel	\$92 ~
Custom Colour	Non-standard Colour (Dulux powder coat range only)	\$315 ~
Acid Feeder Box	For enclosing 15L acid drums (600mm W x 400mm D x 400mm H)	\$655 ~

Delivery & Returns

Delivery

The Acoustic Box™ distributes nationwide from our Sydney manufacturing facility. Once your order has been received, it will be made and dispatched within 4-5 working days.

With delivery schedule between 2 and 5 working days to most parts of Australia, you could be enjoying your Acoustic Box in no time.

Warranty

Limited 7 year pro-rata warranty excluding chips, scratches or fading.

Net Pricing*

Products such as freight & installation that are marked with * indicate net pricing where no trade discount is applied.

The Acoustic Box Discount Structure ~

TAB products are priced with specific trade pricing not a standard discount percentage, see dealer portal or ask for trade price list.

Returns

We are more than happy to provide a refund should the goods you purchased be:

- Faulty or unsafe
- Do not match the sample or description
- Do not do what we said it would
- Do not do what you asked for

Our Returns Policy includes the rights you have under the Australian Consumer Law and provides you with additional benefits in addition to those rights, because your satisfaction is important to us.

What if I got the box size wrong?

If your goods remain undamaged, boxed and unopened you may return them within 30 days from your original purchase date for a refund, please note a restocking fee may be applicable.

Custom size, or custom colours are not able to be returned for a refund.

Delivery	To nearest depot **	Door-to-door
Sydney Metro	N/A	\$127*
Brisbane Metro; SE QLD; Northern NSW	\$145	\$290*
Melbourne Metro	\$145	\$290*
Adelaide metro	\$208	\$348*
Perth Metro	\$232	\$405*
Other areas / Interstate & Regional	POA	POA*

The Acoustic Box



Pump & Filter Enclosures

1300 787 089

6 Carolyn St

Silverwater NSW 2128

sales@acousticbox.com.au

theacousticbox.com.au



PROUDLY AUSTRALIAN MADE